



# Gummibuffer / Rubber buffer / Gummibuffer


39.171




39.175




39.632



39.626




52.RB5




39.620




52.RB822




39.631



39.623



39.627



Art.	Kvalitet / Quality / Qualität	Farve / Colour / Farbe
39.171	SBR	Sort / Black / Schwarz
39.175	SBR	Sort / Black / Schwarz
39.632	SBR	Sort / Black / Schwarz
39.626	SBR	Sort / Black / Schwarz
52.RB5	SBR	Sort / Black / Schwarz
39.620	SBR	Sort / Black / Schwarz
52.RB822	SBR	Sort / Black / Schwarz
39.631	SBR	Sort / Black / Schwarz
39.623	SBR	Sort / Black / Schwarz
39.627	SBR	Sort / Black / Schwarz


# Gummibuffer / Rubber buffer / Gummibuffer

39.171J



Rubber buffer  
Black

39.175H



Rubber buffer  
NR, black

39.175J



Rubber buffer  
Black

39.AV50




Rubber buffer, conical  
SBR  
SH 65 A

39.2F3030



Vibration damper  
Internal M8 both sides  
SH 65 A  
Ø 30 x 30 mm


39.2F4030



Vibration damper  
Internal M8 both sides  
SH 65 A  
Ø 40 x 30 mm


Vibration dampers

Unigum rubber buffer M3020  
SH 65 A



Art		Shore	Thread
39.M2515	m3020	65	M6 x 18
39.M3020	m3020	65	M8 x 23
39.M3020B	m3020B	45A	M8 x 23
39.M3030B	m3030	45	M8 x 23
39.M4030B	m4038	55	M8 x 23

39.632J



Rubber buffer, oval with 2 holes  
Black  
74 x 38 mm  
Center 50 mm  
Height 24 mm

39.634




Buffer with steel washers and steel casing, 3 holes for 16 mm bolt  
EPDM  
400 x 80 mm  
Height 70 mm

39.635



Buffer, vulcanized new rubber with vulcanized steel washers  
500 x 250 x 90 mm

39.636



Buffer, vulcanized new rubber with vulcanized steel washers  
500 x 250 x 140 mm

39.637



Vehicle bumper  
125 x 40 x 40 mm

39.638



Vehicle bumper  
200 x 50 x 50 mm

# Gummibuffer / Rubber buffer / Gummibuffer

39.620




Rubber buffer with washers  
600 g each  
Refer to article no. 39.638  
200 x 53 x 55 mm

39.623J



Rubber buffer, slightly conical  
Ø10 mm holes  
196 x 84 x 63 mm

39.625



Rubber bumper roll fender  
Galvanized  
195 x 113 mm  
Roll diameter Ø100 mm  
Bolt hole Ø13 mm

39.626J



Rubber buffer  
125 x 43 x 40 mm

39.180



Rubber pad Ø120 mm for lift stabilizers  
SBR, black, SH 80 A  
Internal Ø108 mm  
Height 26 mm

39.181




Rubber pad Ø120 mm for lift stabilizers  
SBR, black, SH 75 A  
Internal Ø108 mm  
Height 26 mm

39.182



Rubber pad Ø145 mm for lift stabilizers  
SBR, black, SH 75 A  
Internal Ø120 mm  
Height 24 mm

39.183



Rubber pad Ø145 mm for lift stabilizers  
SBR, black, SH 80 A  
Internal height 26 mm

39.184




Rubber pad for lift stabilizers  
SBR, black, SH 75 A  
160 x 120 x 35 mm

39.185



Rubber pad for lift stabilizers  
SBR, black, SH 75 A  
160 x 120 x 120 mm

39.187



Rubber pad for lift stabilizers  
SBR, black, SH 75 A  
180 x 60 x 100 mm